		•		
L Number	Hits	Search Text	DB	Time stamp
1	1142	711/104-105.ccls. or 711/109-110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:20
2	1113	710/49.ccls. or 710/52.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:20
3	5299	365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:21
4	2495	mask\$3 near6 register same (activ\$5 or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:22
5	3177	365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:22
6	9180	(711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 17:22
7	156 	(mask\$3 near6 register same (activ\$5 or enabl\$3)) and ((711/104-105.ccls. or 711/109-110.ccls.) or (710/49.ccls. or 710/52.ccls.) or (365/120.ccls. or 365/189.01.ccls or 365/189.05.ccls. or 365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or 365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or 365/195-196.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 17:22
8	405	<pre>buffer same (mask\$3 near6 register same (activ\$5 or enabl\$3))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:23
9	0	(complementary near3 input\$3) same (mask\$3 near3 (inactive or disable or enable)) same (complimetary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:23
10	302	output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:24
11	0	(mask\$3 near3 (inactive or disable or enable)) same (complimetary near3 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/04/02 17:24
12	1	(buffer same (mask\$3 near6 register same (activ\$5 or enabl\$3))) and (output\$3 same ((high near2 impedance) or tristat\$3) same (predetermined near2 value))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 17:26

Search History 4/2/03 6:30:21 PM Page 1

13	159	((mask\$3 near6 (assert\$3 or deassert\$3 or	USPAT;	2003/04/02
		inactive or disable or enable or activ\$5)) same buffer\$4) and (output\$3	US-PGPUB; EPO; JPO;	17:27
		same ((high near2 impedance) or	DERWENT;	
		tristat\$3))	IBM TDB	
14	37	((711/104-105.ccls. or 711/109-110.ccls.	USPAT;	2003/04/02
) or (710/49.ccls. or 710/52.ccls.) or	US-PGPUB;	17:27
		(365/120.ccls. or 365/189.01.ccls or	EPO; JPO;	
		365/189.05.ccls. or 365/190.ccls. or	DERWENT;	
		365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or (365/78.ccls. or	IBM_TDB	
		365/80.ccls. or 365/166.ccls. or		
		365/189.12 or 365/190.ccls. or		
		365/195-196.ccls.)) and (((mask\$3 near6		
		(assert\$3 or deassert\$3 or inactive or		
		disable or enable or activ\$5)) same		
		buffer\$4) and (output\$3 same ((high		
16	16	near2 impedance) or tristat\$3))) (((711/104-105.ccls. or 711/109-110.ccls.	USPAT;	2003/04/02
10	10) or (710/49.ccls. or 710/52.ccls.) or	US-PGPUB;	17:30
		(365/120.ccls. or 365/189.01.ccls or	EPO; JPO;	
		365/189.05.ccls. or 365/190.ccls. or	DERWENT;	
		365/233.ccls. or 365/190.ccls. or	IBM_TDB	
		365/202.ccls.) or (365/78.ccls. or		
		365/80.ccls. or 365/166.ccls. or 365/189.12 or 365/190.ccls. or		
		365/195-196.ccls.)) and (((mask\$3 near6		,
		(assert\$3 or deassert\$3 or inactive or	,	
		disable or enable or activ\$5)) same		
		buffer\$4) and (output\$3 same ((high		
		near2 impedance) or tristat\$3)))) and		
18	1	(@ad<19970722 or @rlad<19970722) (mask\$3 near6 register same (activ\$5 or	USPAT;	2003/04/02
	_	enabl\$3)) and (output\$3 same ((high	US-PGPUB;	18:05
		near2 impedance) or tristat\$3) same	EPO; JPO;	
		(predetermined near2 value)) and	DERWENT;	
		(((mask\$3 near6 (assert\$3 or deassert\$3	IBM_TDB	
		or inactive or disable or enable or activ\$5)) same buffer\$4) and (output\$3		
		same ((high near2 impedance) or		
		tristat\$3)) and ((711/104-105.ccls. or		
		711/109-110.ccls.) or (710/49.ccls. or		
		710/52.ccls.) or (365/120.ccls. or		
]		365/189.01.ccls or 365/189.05.ccls. or		
		365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or		
		(365/78.ccls. or 365/80.ccls. or		
		365/166.ccls. or 365/189.12 or		
		365/190.ccls. or 365/195-196.ccls.))		
19	982	(mask\$3 near6 (assert\$3 or deassert\$3 or	USPAT;	2003/04/02
		inactive or disable or enable or	US-PGPUB;	18:07
		activ\$5)) same buffer\$4	EPO; JPO; DERWENT;	
			IBM TDB	
21	8	((((mask\$3 near6 (assert\$3 or deassert\$3	USPAT;	2003/04/02
		or inactive or disable or enable or	US-PGPUB;	18:27
		activ\$5)) same buffer\$4) and	EPO; JPO;	
		(complementary near3 input\$3) and	DERWENT;	
j i		(output\$3 same ((high near2 impedance) or	IBM_TDB	
		tristat\$3))) and (output\$3 same ((switch\$3 or select\$3) nea6 voltage)))		
		and ((711/104-105.ccls. or		
		711/109-110.ccls.) or (710/49.ccls. or		
		710/52.ccls.) or (365/120.ccls. or		
		365/189.01.ccls or 365/189.05.ccls. or		
		365/190.ccls. or 365/233.ccls. or 365/190.ccls. or 365/202.ccls.) or		
		(365/78.ccls. or 365/80.ccls. or		
		365/166.ccls. or 365/189.12 or		
,	ı	365/190.ccls. or 365/195-196.ccls.))	i	Ī

20	11 ((mask\$3 near6 (assert\$3 or deassert\$3 o	r USPAT;	2003/04/02
	inactive or disable or enable or	US-PGPUB;	18:29
	activ\$5)) same buffer\$4) and	EPO; JPO;	
	(complementary near3 input\$3) and	DERWENT;	1
	(output\$3 same ((high near2 impedance) o	r IBM TDB	
	tristat\$3))	_	